

International literature overview

GIESSEREI

Magazine for technology, innovation and management

GIESSEREI 100, 2013, no. 8

- LÖBLICH, H.; STETS, W.: Materials and production fundamentals for the manufacture and application of ductile iron with a high silicon content, Part 2 – Inoculation technology, deviations in the graphite shape, machinability*. Pp. 42-53.
- FISCHER, S. A.; HORVATH, L. R.; SHOWMAN, R. E.; SKERDI, U.: Development of powerful feeding auxiliaries to improve the casting quality*. Pp. 54-61.
- RICHTER, J.: Treatment of unfinished castings (46th continuation)*. Pp. 62-65.
- DÖTSCH, E.: Electric furnaces for melting, holding and pouring (47th continuation)*. Pp. 66-73.
- SCHÄFER, J.; SCHÄFER, T.; BAGINSKI, T.: Improving the energy efficiency of feeding systems*. Pp. 74-79.
- BENZ, N.; FOURBERG, C.; LÜKING, M.: Sulphur-reduced furan resin system in use*. Pp. 80-82.

GIESSEREI 100, 2013, no. 9

- JORDAN, G.; EULENKAMP, C.; SCHMAHL, W. W., e. a.: Neutron radiography of bentonite-bonded molding sands*. Pp. 24-29.
- AMBOS, E.; MARBACH, H.; BESSER, W., e. a.: JetCooling and rapid computer tomographs – Technical instruments for the effective production of sophisticated die castings*. Pp. 30-39.
- SCHINDELBACHER, G.; KERBER, H.; RIEGLER, M., e. a.: Comprehensive characterization of molding sands with a new type of test*. Pp. 40-49.
- TEWES, S.: Light-metal sand and gravity die casting (47th continuation) Part 3: Melting, pouring and solidification*. Pp. 50-55.
- KOHN, M.: Blue flame for fire bowls*. Pp. 56-59.
- KALLMEYER, W.; RISSENBECK, D.: Managing energy efficiency professionally*. Pp. 60-69.
- VOLLRATH, K.: New and highly interesting ductile iron materials*. Pp. 70-73.
- DECKING, K.: Lightweight construction with bionic castings*. Pp. 74-75.

GIESSEREI 100, 2013, no. 10

SCHMITZ, W.; TRAUZEDDEL, D.: Latest developments on recycling production waste through the use of crucible induction furnaces*. Pp. 28-34.

KAISER, T., e. a.: Efficient steel casting for the manufacture of turbine housings*. Pp. 36-45.

KRAUSE, O.: Refractories (26th continuation)*. Pp. 46-53.

KAPITZA, U.: Energy efficiency in shotblasting*. Pp. 54-55.

HEISSER, C.: Improving the castings production helps customers and the foundry*. Pp. 56-57.

SCHOLZ, G.: Briquetting plant presses valuable cooling lubricants from shavings*. Pp. 58-59.

RUBZOW, S.; SZUKALA, B.: Energy management at Siempelcamp*. Pp. 60-63.

SARAVANAN, S. V.: Growth strategies of the Indian foundry industry*. Pp. 66-73.

JUNKER, P.: Using the crisis as an economic motor*. Pp. 74-75.

((Fußnote))* Only in German language

GIESSEREI-Erfahrungsaustausch

The magazine for the operational management

GIESSEREI-Erfahrungsaustausch 2013, no. 7/8

FISCHER, S.; SKERDI, U.; HASSE, S.: Application guidelines for feeding systems*. Pp. 6-10.

KEIM, E.: Innovative burner system with numerous benefits*. Pp. 12-16.

CHAKRABARTI, R.; DÖSCH, E.: Solutions for long furnace campaigns – Wear processes of refractory linings in crucible induction furnaces*. Pp. 18-25.

GASSEL, C.: Up to 15 % less energy consumption – Furnace technology of the ceramics industry also saves costs in metal machining*. Pp. 26-28.

RONIG, H.: Further expansion of the MF melt shop – ACO Guss expands its existing Inductotherm melting plants*. Pp. 30-31.

GERUNDLER, E.: ACO Guss and ACO Eurobar – Solutions all of a piece: Comprehensive range of machine and hand molded castings as well as continuous castings from a single source*. Pp. 32-35.

COULON, J.; MÜLLER, T.: 25 years of ductile cast iron piles*. Pp. 36-39.

DEISENROTH, R.: Hydra for metals: New MES industry solution for metal processing companies*. Pp. 40-45.

HEROLD, H.-G.; ERNST, M.; GUSSEN, D.: KOMPASS Safety Check – The holistic PSA concept from head to toe in accordance with the German Occupational Health and Safety Act*. Pp. 46-49.

GIESSEREI-Erfahrungsaustausch 2013, no. 9/10

WINKLER, T.: Objective assessment of blasting compounds – Ervin test compares durability and performance*. Pp. 6-9.

BEHRINGER, C.: Sawing technology at the forefront of progress – Cutting-edge sawing technology also for special materials*. Pp. 10-15.

GURSKY, S. H.: Automation saves energy and increases flexibility*. Pp. 16-21.

SÖHNLEIN, P.: Innovation for batch processing – A new dimension of blasting small parts with the multi-tumbler*. Pp. 22-23.

WENKE, H.: Machining instead of raising dust – Milling ring at the turbine drive quadruples material removal*. Pp. 24-27.

GÜNTHER, K.: Controlled complexity – New innovative fixture for 3D free-formed surfaces*. Pp. 28-29.

MARESCH, R.: Quality assurance of digital pattern inspection – Automatic quality control even for small batches*. Pp. 30-31.

DEISENROTH, R.: New MES industry solution (MES – Manufacturing Execution System) – Controlled surface refinement and metalworking*. Pp. 32-37.

KORUPP, S.: 100 % sealed pumps setting new standards*. Pp. 38-39.

International Foundry Research/GIESSEREIFORSCHUNG

International Foundry Research/GIESSEREIFORSCHUNG 63, 2013, no. 3

AKHTAR, S.; SHAIKH, R. H.; AUNE, R. E.; ARNBERG, L.: Mechanism of micro porosity in directionally solidified A356 castings doped with anodized plates and sintered aluminium. Pp. 2-11.

MAEDA, Y.; MURAKAMI, A.: High accuracy mold filling simulation using gas and liquid two-phase flow analysis of MARS method. Pp. 12-17.

FUCHS, B.; KÖRNER, C.: Dwell pressure induced compression of lost salt cores in high pressure die casting. Pp. 18-23.

CRESPO, J.; REQUENA, G.; DEGISCHER, H. P.; TRACK, K.; TOLNAI, D.: Three-dimensional characterisation of micropores and graphite nodules in ductile cast iron. Pp. 24-30.

Casting Plant and Technology International

CP+T Casting Plant and Technology International 29, 2013, no. 3

DOETSCH, E.; RISCHE, M.: Melting of copper and copper alloy chips. Pp. 8-13.

KEGELMANN, D.: New furnaces for automotive castings. Pp. 14-15.

SEIDLER, K.: Energy costs in foundry almost halved. Pp. 16-17.

PITEREK, R.: A career in the service of inductive melting. Pp. 18-21.

MERKLE, U.: Economical vacuum supply for lost foam casting process. Pp. 22-23.

SCHÄFER, J., e. a.: Energy efficiency in the feeder system: Pp. 24-28.

TOMAZIC, D.: Highly efficient processing aids. Pp. 30-31.

MENDIRICHAGA, A.: Newly built foundry offers castings on a grand scale. Pp. 32-35.

DEIKE, R.: Global raw material markets: developments affecting iron foundries. Pp. 36-41.

GIESSEREI-PRAXIS

GIESSEREI-PRAXIS 2013, no. 6

RISCHE, M.: Improved melting plant economics by state-of-the-art induction technology*. Pp. 237-240.

BARBAKADZE, A.; AITSURADZE, M.; BAST, J.: A new method for pressure measurement in the decomposition crack between the melt and pattern in the low-pressure lost-foam process*. Pp. 241-244.

HEROLD, H.-G.; ERNST, M.: Holistic PSA concepts from head to toe in accordance with the German Occupational Safety and Health Act*. Pp. 245-247.

RÖHRIG, K.: Alloyed cast iron, Part 8: The effect of elements in the melt and during solidification*. Pp. 248-258.

SCHNEIDER, T.: Sale of assets that are no longer required*. Pp. 259-261.

GIESSEREI-PRAXIS 2013, no. 9

PRAT, J.; STÖTZEL, R.; YILMAZ, I.: A new sand additive to control veining and eliminate the need for refractory coatings*. Pp. 355-362.

SCHEMMEL, T.; JANSEN, H.; KESSELHEIM, B.; KREMER, U.: Nanobond – The new quick drying No-Cement-Castable for fast lining and repairing*. Pp. 363-368.

RÖHRIG, K.: Alloy cast irons (Part 9): Effect of elements in liquid cast iron and during solidification*. Pp. 369-376.

Ultrasound trade colloquium at VOGT Ultrasonics*. Pp. 377-380.

Optimising productivity and efficiency with RetroFit*. Pp. 380-381.

GIESSEREI-PRAXIS 2013, no. 10

ZAK, H.; TONN, B.: Improvement of hot tearing behavior of AlZnMgCu alloys using thermodynamic calculations*.

MOTTITSCHKA, T.; PUSCH, G., e. a.: Fatigue crack growth investigation in ductile cast iron under constant and variable amplitude loading*.

CAMPBELL, J.; NARO, R. L.: Lustrous carbon on gray iron*.

GIENIEC, A.; MÜLLER, J., e. a.: Competitiveness with environmentally-friendly and highly productive processes and products in the core shop*.

BERGMANN, S.: How to plan maintenance systematically and perform it efficiently to avoid downtime*.

DRUCKGUSS

DRUCKGUSS 2013 (in Giesserei-Praxis, 2013, no. 10)

FABBRONI, M.: Lost core – An industrial process path for high-quality salt cores*.

SCHRUFF, I.: Modern hot-work – Tool steels for die casting dies*.

GIESSEREI-Rundschau

Giesserei-Rundschau 60, 2013, no. 5/6

REHSE, C.; SCHMICKER, D.; MAASS, A.; BÄHR, R.: An evaluation concept of computer tomographic detected porosity in cast parts in regard of the local strength of material*. Pp. 106-110.

KNOTHE, W.: Case-by-cast strategy to energy efficiency in iron foundry production process*. Pp. 111-114.

WELLRAPP, T.: Introduction of an energy management system in the foundry in combination with an active management system*. Pp. 115-117.

HAGENAUER, J.; ALBERTINI, A.: Comparison of power requirement of pressure die casting resp. gravity die casting for the production of complex castings*. Pp. 118-122.

FLENDER, E.: Research and trends of development regarding foundry technology*. Pp. 123-127.

SOBCZAK, J. J.: The polish foundry industry – Production and costs*. Pp. 128-131.

KOHÁSZAT

KOHÁSZAT, 2013, no. 3

FARKAS, O., e. a.: Investigation of blast furnace tuyere erosion process. Pp. 1-7.

TARDY, P.: The European Commission and the steel industry: changing approach. Pp. 7-13.

PABEL, T., e. a.: Advantages are not only environmental-improved properties of aluminium cast parts through the use of Inotec cores. Pp. 14-19.

HORVATH, J.: Outlook of the development of the aluminium smelting technology and the globalisation of the aluminium production. Pp. 24-33.

VERÖ, B.: The possibilities for producing ultra fine grained microstructure and their relationship. Pp. 38-42.

SZABO, P. J.; BERECZKI, P.: Investigation of the effect of severe plastic deformation and heat treatment on the microstructure by electron back scattering diffraction. Pp.

42-47.

PRZEGLAD ODLEWNICTWA

The official organ of press of the Polish Foundrymen's Association
Foundry Review

PRZEGLAD ODLEWNICTWA 63, 2013, no. 7-8

ASLANOWICZ, M.; OSCILOWSKI, A.; STACHANCZYK, J.: The technique for making ceramic foam filters, directions of research and modernisation processes.

FABER, J.; ZMUDZINSKA, M.; PARSZEWSKA, K.: Spent foundry materials in the current provincial reports.

HOLTZER, M.: When copper scrap is no longer a waste?

Interview: Why the energetic efficiency of burners for gaseous fuel decreases?

FRANASZEK, T: International Fairs – Innovations – Technologies – Machines, Poland 2013

LITEINOE PROIZVODSTVO

– Foundry, Technology, Equipment

LITEINOE PROIZVODSTVO, 2013, no. 6

KOLOKOLTSEV, V. M., e. a.: Choice and rationale of new heat-wear-resistance iron. Pp. 2-6.

KODRATYUK, S. Y., e. a.: Hereditary modification of cast steels.

YEVLAMPYEV, A. A., e. a.: Identification of contamination-type defects by a refined classification. Pp. 11-14.

BENZ, N.; FORBERG, K.: Ecofriendly cold-hardening furane resins with a content of free furfuryl alcohol under 25 %. Pp. 15-20.

BEZPALKO, V. I.: Casting with crystallization under pressure of thin-walled silumin parts. Pp. 21-23.

EMELYANOV, V. O., e. a.: Technological characteristics of water-based binders for investment casting. Pp. 23-25.

POPOV, I. P., e. a.: Immersion casting of aluminium blanks for pressed profile

production. Pp. 26-27.

KULAKOV, B. A., e. a.: Gating induction system installation of centrifugal ceramic crucible. Pp. 28-30.

POPOV, A.: Laempe technologies and equipment in China. Pp. 31.

LYUTYY, R., e. a.: Past, today and future of science in publications of journal "Foundry Production". Pp. 34-37.

TIKHOMIROV, M. D.: New and traditional methods of computing tasks of the theory of casting processes by the example of the casting process computer simulation system "PolygonSoft". Pp. 38-40.

LITEINOE PROIZVODSTVO, 2013, no. 7

TAKHIROV, A. A., e. a.: Production of grinding elements of asphalt preparation equipment. Pp. 2-6.

POYAKOV, S., e. a.: New criterion of microporosity formation in castings. Pp. 8-11.

BELIKOV, O. A.: Structural analysis of pattern tooling movement in automatic single-station molding units. Pp. 12-15.

PANTELEEVA, A. V.; KOVALEVICH, E. V.: Computer modeling of the stress state of molds for high-alloy steel ingots. Pp. 21-24.

KATS, A. M., e. a.: Outline of a promising computer-aided foundry management system. Pp. 24-27.

GEORGLYEVSKI, M. G.; BATYSHEV, K. A.: Gear pumps of the new type and casting with crystallization under pressure. Pp. 29-30.

IVANKO, Y. K.: About the "Rain" of crystals in liquid metal in the conditions of centrifugal casting. Pp. 31-34.

REVISTA DE TURNĂTORIE

Journal of Romanian Foundry Technical Association

REVISTA DE TURNĂTORIE 19, 2013, no. 5-6

DIACONESCU, F.: Influence of the centrifugal force on solidification with biphasic area of the antifriction Cu-Pb and Cu-Pb-Sn alloys. Pp. 2-6.

HABIBULLAH, P.: Mineral composite material: an effective special additive for silica sand moulding. Pp. 7-15.

DUTA, V.: The alchemy or hypothetical time period of metals history. Pp. 16-20.
A new generation of furan resins. Pp. 21-22.
RIPOSAN, I.: European concerns in the cast iron fields.
The 12th FSC 2013 has been succesfully held in Shanghai. Pp. 24-26.
Succesful debut of Indometal-First edition paves the way to become Indonesia leading and most significant Metal and Steel Trade Fair. Pp. 27.
SOFRONI, L.: Trends and achievements in the casting production. Pp. 28-42.

SLÉVÁRENSTVI

SLÉVÁRENSTVI 61, 2013, no. 5-6

LANA, I.: Research and innovated capacities of melting process of aluminium alloys in the gas shaft furnace in an interconnection with a reversible crucible. Pp. 175-178.
KLENOTICOVA, A., e. a.: Properties of castings for production of gradient tubes in preheating systems. Pp. 179-183.
STRANSKY, K., e. a.: Physical and chemical similarity at mining and metallurgical treatment of polymetallic and iron ores. Pp. 184-188.
HORACEK, J.: Use of the QuikCast simulation program in foundry industry. Pp. 189-192.

SLÉVÁRENSTVI 61, 2013, no. 7-8

ROUCKA J., e. a.: Controlled gasification of silumin. Pp. 239-243.
GRZINCIC, M.; LUKAC, I.: Operational optimization of the grain refinement process of silumins by a new technical specification of an input material and a metallurgical process. Pp. 244-250.
LICHY, P., e. a.: Evaluation of Mg alloys properties under elevated and high temperatures. Pp. 251-254.
SERAK, J., e. a.: Magnesium alloys for use at elevated temperature. Pp. 255-258.
BEDNAROVA, V., e. a.: Manufacturing technology of cast metal foams in laboratory conditions. Pp. 259-262.
PABEL, T., e. a.: Effect of alloying elements on hot cracking susceptibility of AlSi7MgCu alloys. Pp. 263-270.

CHINA FOUNDRY

CHINA FOUNDRY 10, 2013, no. 4

YUNA, W., e. a.: Investigation on corrosion behaviour of as-extruded near eutectic Al-Si-Mg alloy by neutral salt spray test. Pp. 207-212.

LONG, M., e. a.: Effect of ultrasonic treatment and Sr addition on microstructure of Al-20 % Si alloy. Pp. 213-216.

ZHONGLI, L.; YONG, S.: Effect of inter-critical quenching on mechanical properties of casting low-alloy steel. Pp. 217-220.

BO XING, e. a.: Evolution of rheocast microstructure of AZ31 alloy in semisolid state. Pp. 221-226.

QIANG LI, e. a.: Modeling and analysis of porosity and compressive strength of gradient Al₂O₃-ZrO₂ ceramic filter using BP neural network. Pp. 227-231.

JIQIANG LI, e. a.: Study on typical hole defects in AZ91D magnesium alloy prepared by low pressure lost foam casting. Pp. 232-236.

RI LI, e. a.: Feature study of body-fitted Cartesian grids used in casting numerical simulation. Pp. 237-243.

JIANQUAN TAO, e. a.: Microstructure evolution of an Mg-Zn-Nd-Zr magnesium alloy during recrystallization and partial remelting process. Pp. 244-247.

PABEL, T., e. a.: Hot cracking susceptibility of AlSi7MgCu alloy and effects of alloying elements magnesium and copper. Pp. 248-253.

VENKATARAMANI, J.; KALAKKATH, P.: Observation and characterizing of flow in critical sections of a horizontal pressurized gating system using water models. Pp. 254-262.

Information about the magazines

GIESSEREI

GIESSEREI-Erfahrungsaustausch

International Foundry Research/GIESSEREIFORSCHUNG

Casting Plant and Technology International

Publisher: Bundesverband der Deutschen Gießerei-Industrie, Sohnstr. 70, D-40237 Düsseldorf

Editorial Office: Sohnstr. 70, D-40237 Düsseldorf, tel. +49 (0) 211/68 71-3 55, fax +49 (0) 211/68 71-3 65, email redaktion@vdg.de

**GIESSEREI-PRAXIS
DRUCKGUSS**

Publisher: Fachverlag Schiele & Schön GmbH, Markgrafenstraße 11, D-10969 Berlin
Editor-in-chief: Dr.-Ing. Hartmut Polzin, Gartenstraße 2a, D-09661 Striegistal-
Marbach, tel. +49 (3731) 39 27 44, fax +49 (3731) 39 24 42, email polzin@tu-
freiberg.de

GIESSEREI-Rundschau

Verlag Lorenz, Ebendorferstr. 10, A-1010 Wien.
Editor-in-chief: Bergrat h.c. Dir. I.R., Dipl.-Ing. Erich Nechtelberger, tel. and fax +43
(0) 1440 4963, email nechtelberger@voeg.at

KOHÁSZAT

Editor-in-chief: Dr. Verö Balázs, H-1027 Budapest, Fő utca 68, IV. em. 409, tel: 201-
20 11.

PRZEGLAD ODLEWNICTWA

Editorial office: 30-418 Cracow, Zakopanska Street 73, tel. (012) 26 18-2 35, -2 41, -2
43; email przeglad_odlewnictwa@interia.pl

LITEINOE PROIZVODSTVO

Editor-in-chief: J. A. Jaskevich, 11 55 33 Moskva, pr. Andropova, D. 22/30, tel./fax:
+007 1 14-58 45, 1 14-52 46; email lp@niit.ru

REVISTA DE TURNĂTORIE

Director: Prof. Dr.-Ing. Laurentie Sofroni, Universitatea POLITEHNICA, Bucuresti,
Facultatea SIM, Splaiul Independentei 313, 77206, tel. (021) 4 11 61 93, (021) 4 02
95 25, fax (021) 4 11 61 93, email rofoundry@yahoo.com

SLÉVÁRENSTVI

Editor-in-chief: Alena Svobodova-Gerzova, 616 00 Brno, Technicka 2, tel. (++420) 5
41 14 26 64, fax (++420) 5 41 14 26 44, email svazlevaren@iol.cz

CHINA FOUNDRY

Foundry Journal Agency: Yunfeng South Street 17, Tiexi District, 110022 Shenyang,
P. R. China; tel. +86 24 25847830, fax +86 24 25611880, email
journal@foundryworld.com, www.foundryworld.com

Further information:

The publications listed in the International Literature Overview are available, against
reimbursement of costs, from:

BDG-Informationszentrum Giesserei

P.O.Box 10 51 44

D-40042 Düsseldorf

Tel.: +49 (0) 211 6871-246, Fax: -361

E-mail: infozentrum@bdguss.de